



## WOOD LATHE 850 MM

### WOOD LATHE


- 4-leg stand with provision for a shelf, rigid and stable.
- Cast iron bed drilled to be fixed on the supplied stand or on a workbench, with left extension bed.
- Rotation speed can be changed automatically by steps, without having to touch the belt.
- Cast iron headstock with steel cover. 3 pre-set positions at 60°, 90°, and 120° for use when making faceplate turnings, and 1 pre-set position at 180° when using the extension bed and the tool rest.
- 300 mm articulated tool rest in cast iron with cam lock : can be used with or without the extension arm.
- Headstock and tailstock drilled at 10 mm to remove either the headstock spur or the tailstock live center (push-out rod supplied), and to allow the use of a drill bit.



Variomatic speed control



Alignement des pointes cm2 et broche dentrainement fileté m33 x 3,5 mm



10 variable speeds from 500 to 2000 rpm

SOLID WOOD

WOOD-DERIVED  
PANELS

METAL

TILE

CONCRETE  
MASONRY

STONE TILE

MULTI  
MATERIALS

PLASTER & SOFT  
MATERIALS

ASPHALT

ACCESSORIES

RÉF	TAB085
Conditionnement	1
Colisage	1380 x 330 x 370 mm
Garantie	24
Poids net	75 kg
Poids brut	79 kg
Encombrement machine montee	1520 x 480 x 1130 mm
Reference pour pieces detachees	150000 (+ N°/ vue éclatée)
Puissance moteur (230 V - 50 Hz)	450 W - S1
Hauteur du banc	880 mm
Nombre de vitesses	10
Vitesse de rotation (variable)	De 500 à 2000 tr/min
Distance entre pointes	850 mm
Diamètre au-dessus du banc	Ø 305 mm
Longueur du support d'outil	300 mm
Positionnement de la tête	0° - 60° - 90° - 120° - 180°
Broche d'entrainement	M33 x 3,5 mm
Emmanchement des poupées fixe / mobile	Cône Morse CM2 / CM2
Perçage de la poupée mobile	Ø 10 mm
	3700501700207

SOLID WOOD

WOOD-DERIVED  
PANELS

METAL

TILE

CONCRETE  
MASONRY

STONE TILE

MULTI  
MATERIALS

PLASTER &  
SOFT  
MATERIALS

ASPHALT

ACCESSORIES

## ACCESSOIRES

**BAS100**



Adjustable suction  
nozzle with base

**COP085**



Lathe copying  
device 850 mm

**150000.LUN**



Steady rest

SOLID WOOD

WOOD-DERIVED  
PANELS

METAL

TILE

CONCRETE  
MASONRY

STONE TILE

MULTI  
MATERIALS

PLASTER & AMP;  
SOFT  
MATERIALS

ASPHALT

ACCESSORIES