


TABLE SAW WITH SLIDING CARRIAGE 315 MM

TABLE SAW

- Mechanically welded frame, cast iron trunnion for the sawing unit.
- Main table and first right extension in cast iron, second right extension and rear extension in steel.
- Large sliding table with graduated fence and extendable stop to 2250 mm.
- Support leg under the sliding carriage rail to secure the stability of the machine when sawing large panels.
- Suction outlet Ø 30 mm on the blade guard, connected to the main dust outlet by a flexible hose (supplied).



2000 mm sliding carriage flush with the blade



Lame Ø 315 mm, inclinable à 45° et inciseur de 100 mm



Rip fence with micrometric adjustment

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY

STONE TILE

MULTI
MATERIALS

PLASTER &
SOFT
MATERIALS

ASPHALT

ACCESSORIES

RÉF	SST315
Conditionnement	1
Colisage	Machine : 930 x 760 x 1040 mm
Garantie	24
Poids net	285 kg
Poids brut	316 kg
Encombrement machine montee	3100 x 2850 x 1100 mm
Reference pour pieces detachees	070800 (+ N°/ vue éclatée)
Puissance moteur (230 V - 50 Hz)	3000 W - S1
Vitesse de rotation lame - inciseur	4500 tr/min - 8500 tr/min
Diamètre et alésage de la lame	Ø 315 / 250 x 30 mm
Inclinaison de la lame	45° à droite
Hauteur de travail	850 mm
Diamètre et alésage de l'inciseur	Ø 100 x 20 mm
Hauteur de coupe maximale	100 / 70 mm (lame 315 / 250)
Hauteur de coupe à 45°	80 / 55 mm (lame 315 / 250)
Dimensions de la table Scie	1260 x 800 mm
Dimensions de la rallonge arrière	310 x 500 mm
Dimensions du chariot de coupe	2000 x 270 mm
Course de délignage contre la règle	2050 mm
Largeur maximale de délignage	1230 mm
Diamètre sortie d'aspiration	Ø 100 mm
Colisage : Chariot	2070 x 310 x 240 mm
	3700501714761

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY

STONE TILE

MULTI
MATERIALS

PLASTER &
SOFT
MATERIALS

ASPHALT

ACCESSORIES

ACCESSOIRES

330201



Mobile wheel kit

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY

STONE TILE

MULTI
MATERIALS

PLASTER & AMP;
SOFT
MATERIALS

ASPHALT

ACCESSORIES