

CHIP AND DUST COLLECTOR 60 L

SUCTION

- Steel base mounted on 2 universal casters and 2 directional casters.
- Large handle for easy moving.
- Floor sweeper mounted on the base.
- Powerful 750 W induction motor, tough and silent.
- Riveted steel propeller for greater wear resistance, and profiled fins to optimize airflow and minimize noise.
- Mechanically welded fan housing, filtration housing and uprights.
- Felt filter bag on top and plastic collection bag on bottom.
- Input connector Ø 100 mm.
- Very resistant connection hose (double PVC layer with polyamide coil), but flexible and very easy to handle.



Felt filter bag

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY


STONE TILE

MULTI
MATERIALS

PLASTER &
SOFT
MATERIALS

ASPHALT

ACCESSORIES

RÉF	LOASP060
Conditionnement	1
Colisage	760 x 450 x 460 mm
Garantie	24
Poids net	24 kg
Poids brut	27 kg
Encombrement machine montee	870 x 380 x 1520 mm
Reference pour pieces detachees	090000 (+ N°/ vue éclatée)
Puissance moteur (230 V - 50 Hz)	750 W - S1
Vitesse de rotation	2950 tr/min
Diamètre de l'hélice	Ø 230 mm
Diamètre d'entrée du ventilateur	Ø 100 mm
Nombre et diamètre de connexion	1 x Ø 100 mm
Longueur du flexible	0,75 m
Vitesse de l'air	14,15 m³/min - 500 CFM
Débit d'air	849 m³/h
Dimensions du sac de récupération plastique	Ø 370 x 750 mm
Capacité de récupération	60 L
Dimensions du sac de filtration feutre	Ø 370 x 650 mm
Classe de poussières / filtration	5 µ
	3700501700092

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY

STONE TILE

MULTI
MATERIALS

PLASTER &
SOFT
MATERIALS

ASPHALT

ACCESSORIES

ACCESSOIRES

090001



Plastic collection bag Ø 370 x 750 mm

090002



Cotton collection bag No. 08 Ø 370 x 640 mm

090003




Felt filter bag No. 13 Ø 370 x 650 mm

090004



Strap No. 48

090005



Hose Ø 100 mm pvc (unit : 1 meter)

090006



Hose clamp Ø 100 mm

SOLID WOOD

WOOD-DERIVED PANELS

METAL

TILE

CONCRETE MASONRY

STONE TILE

MULTI MATERIALS

PLASTER & SOFT MATERIALS

ASPHALT

ACCESSORIES