



CHISEL MORTISER 750 W

CHISEL MORTISER


- Base, column, sliding head, carriages and fence in cast iron.
- Gas spring allowing to control lowering and raising of the head.
- Column can be rotated at 180° on its base in order to work off the table.
- Adjustable lateral stroke stops with ruler.
- Adjustable depth stops with ruler.
- 1 adjustable length stop for repetitive work.
- Metal storage cabinet with 1 shelf and lockable door.



Sliding of head on dovetail



2 presseurs verticaux à serrage rapide et 1 presseur horizontal coulissant



Lateral and longitudinal strokes on dovetail slides

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY


STONE TILE

MULTI
MATERIALS

PLASTER &
SOFT
MATERIALS

ASPHALT

ACCESSORIES

RÉF	MOR750
Conditionnement	1
Colisage	Machine : 560 x 470 x 760 mm
Garantie	24
Poids net	124 kg
Poids brut	131 kg
Encombrement machine montee	480 x 600 x 1790 mm
Reference pour pieces detachees	170100 (+ N°/ vue éclatée)
Puissance moteur (230 V - 50 Hz)	750 W - S1
Vitesse de rotation	2800 tr/min
Capacité de serrage du mandrin B16	De 3 à 16 mm
Diamètre de queue de bédane	Ø 15,9 mm
Outil adaptable	Bédane de 6 à 16 mm
Dimensions de la table	400 x 150 mm
Dimensions du guide	400 x 50 mm
De l'axe de la bédane au guide (max)	140 mm
Course de la tête	235 mm
Sous les presseurs verticaux (maximum)	195 mm
Course de chariotage	170 x 155 mm
Colisage : Armoire	500 x 400 x 640 mm
	3700501700252

SOLID WOOD

WOOD-DERIVED
PANELS

METAL

TILE

CONCRETE
MASONRY

STONE TILE

MULTI
MATERIALS

PLASTER &
SOFT
MATERIALS

ASPHALT

ACCESSORIES

ACCESSOIRES

170101



**Ø 16 mm drill chuck
adapter**

SOLID WOOD	WOOD-DERIVED PANELS	METAL	TILE	CONCRETE MASONRY	STONE TILE	MULTI MATERIALS	PLASTER & SOFT MATERIALS	ASPHALT	ACCESSORIES
------------	---------------------	-------	------	------------------	------------	-----------------	--------------------------	---------	-------------