

PUNTA PER SCANALARE DRITTA

- 2 tagli laterali + taglio frontale.
- Refilatura, scanalatura e taglio circolare nel legno.
- Punta con diametro moins de a 7 mm : carburo monoblocco.



LEGNO








EN847-1



CARATTERISTICHE:

REF							
406.703.00	1	50	3	6	10	2	3510784067191
406.704.00	1	50	4	6	12	2	3510784067108
406.705.00	1	50	5	6	15	2	3510784067115
406.706.00	1	55	6	6	20	2	3510784067122
406.707.00	1	55	7	6	20	2	3510784067139
406.708.00	1	55	8	6	20	2	3510784067146
406.708.30	1	65	8	6	30	2	3510784067153



REF							
406.710.00	1	55	10	6	20	2+1	3510784067177
406.710.30	1	65	10	6	30	2+1	3510784067207
406.712.00	1	55	12	6	20	2+1	3510784067221
406.712.30	1	65	12	6	30	2+1	3510784067238
406.714.00	1	55	14	6	20	2+1	3510784067252
406.715.00	1	55	15	6	20	2+1	3510784067269
406.716.00	1	55	16	6	20	2+1	3510784067306
406.718.00	1	55	18	6	20	2+1	3510784067320
406.720.00	1	55	20	6	20	2+1	3510784067344
406.722.00	1	55	22	6	20	2+1	3510784067351
406.725.00	1	55	25	6	20	2+1	3510784067368
408.703.00	1	50	3	8	10	2	3510784087090
408.704.00	1	50	4	8	12	2	3510784087106
408.705.00	1	50	5	8	15	2	3510784087113
408.706.00	1	55	6	8	20	2	3510784087120










REF							
408.707.00	1	55	7	8	20	2	3510784087137
408.708.00	1	55	8	8	20	2	3510784087144
408.708.30	1	65	8	8	30	2	3510784087151
408.709.00	1	55	9	8	20	2	3510784087168
408.710.00	1	55	10	8	20	2+1	3510784087175
408.710.30	1	65	10	8	30	2+1	3510784087205
408.710.40EL	1	110	10	8	40	2+1	3510785401802
408.711.00	1	55	11	8	20	2+1	3510784087212
408.712.00	1	55	12	8	20	2+1	3510784087229
408.712.30	1	65	12	8	30	2+1	3510784087236
408.712.40EL	1	110	12	8	40	2+1	3510785401819
408.713.00	1	55	13	8	20	2+1	3510784087243
408.714.00	1	55	14	8	20	2+1	3510784087250
408.714.30	1	65	14	8	30	2+1	3510784087014
408.714.40EL	1	110	14	8	40	2+1	3510785401826



REF							
408.715.00	1	55	15	8	20	2+1	3510784087267
408.715.30	1	65	15	8	30	2+1	3510784087021
408.715.40EL	1	110	15	8	40	2+1	3510785401833
408.716.00	1	55	16	8	20	2+1	3510784087304
408.716.30	1	65	16	8	30	2+1	3510784087373
408.716.40EL	1	110	16	8	40	2+1	3510785401840
408.717.00	1	55	17	8	20	2+1	3510784087311
408.717.40EL	1	110	17	8	40	2+1	3661589089960
408.718.00	1	55	18	8	20	2+1	3510784087328
408.718.30	1	65	18	8	30	2+1	3510784087038
408.718.40EL	1	110	18	8	40	2+1	3510785401857
408.719.00	1	55	19	8	20	2+1	3510784087335
408.720.00	1	55	20	8	20	2+1	3510784087342
408.720.30	1	65	20	8	30	2+1	3510784087045
408.720.40EL	1	110	20	8	40	2+1	3510785401864



REF							
408.722.00	1	55	22	8	20	2+1	3510784087359
408.725.00	1	55	25	8	20	2+1	3510784087366

