

## TAGLIENTI REVERSIBILI AL CARBURO - K05



LEGNO








K05










### CARATTERISTICHE:

REF							
0765.1215.00	10	12	7,5	1,5	2	-	3510785 417292
0090.1215.00	10	12	9	1,5	2	-	3510785 418299
0096.1215.00	10	12	9,6	1,5	2	-	3510785 417209
0015.1215.00	10	12	15	1,5	2	-	3510785 417285
0020.1215.00	10	12	20	1,5	2	-	3510785 417056
0025.1215.00	10	12	24,7	1,5	2	-	3510785 417629



REF							
0025.1215.01	10	12	25	1,5	2	-	3510785 417575
0030.1215.00	10	12	30	1,5	2	-	3510785 417018
0040.1215.00	10	12	40	1,5	2	-	3661589 034168
0050.1215.00	10	12	50	1,5	2	-	3510781 501094
0060.1215.00	10	12	60	1,5	2	-	3510785 417544
0012.1215.00	10	12	12	1,5	4	-	3510785 417049
0014.1420.00	10	14	14	2	4	6,8	3510781 511154
02.2192.4	10	13	13	2,5	4	OPPOLD	3510785 418008
02.2171.4	10	14	14	1,2	4	8,5	3510785 417148
02.2172.4	10	14	14	1,7	4	8,8/22°	3510785 417797
02.2180.4	10	14	14	1,7	4	8,8/30°	3510785 417858
02.2196.4	10	14.3	14,3	2,5	4	6,2	3510785 417070
02.2191.4	10	14.5	14,5	2	4	-	3510785 417490



REF							
02.2186.4	10	15	15	2,5	4	6,2	3510785 417278

