

## PUNTA METALLO HSS COBALTO 5


### EXPERT

- Uso intensivo.
- Alta resistenza al riscaldamento.
- Punta molata in acciaio rapido con Cobalto (5%).
- Affilatura punta a croce antiscivolo.
- Angolo punta 135°, autocentrante.
- Queue cylindrique, rotation à droite.



ACCIAIO INOSSIDABILE,  
ACCIAIO, GHISA

# DIN338



### CARATTERISTICHE:

| REF        |   |    |     |    |                   |
|------------|---|----|-----|----|-------------------|
| 804.020.01 | 1 | 49 | 2   | 24 | 3661589<br>011893 |
| 804.020.10 | 1 | 49 | 2   | 24 | 3661589<br>054562 |
| 804.025.01 | 1 | 57 | 2,5 | 30 | 3661589<br>011909 |
| 804.025.10 | 1 | 57 | 2,5 | 30 | 3661589<br>054579 |
| 804.030.01 | 1 | 61 | 3   | 33 | 3661589<br>011916 |
| 804.030.10 | 1 | 61 | 3   | 33 | 3661589<br>054586 |
| 804.035.01 | 1 | 70 | 3,5 | 39 | 3661589<br>011923 |

LEGNO  
MASSICCIO

PANNELLI  
DERIVATI  
LEGNO

METALLO

PIASTRELLA

CALCESTRUZZO  
MURATURA


PIETRA TEGOLA

MULTI  
MATERIALI






GESSO E MAT.  
TENERI

ASFALTO

ACCESSORI

| REF        |  |  |  |  |  |
|------------|---|---|---|---|---|
| 804.035.10 | 1   | 70  | 3,5   | 39  | 3661589<br>054593   |
| 804.040.01 | 1   | 75  | 4   | 43  | 3661589<br>011930   |
| 804.040.10 | 1   | 75  | 4   | 43  | 3661589<br>054609   |
| 804.042.01 | 1   | 75  | 4,2   | 43  | 3661589<br>011947   |
| 804.042.10 | 1   | 75  | 4,2   | 43  | 3661589<br>054616   |
| 804.045.01 | 1   | 80  | 4,5   | 47  | 3661589<br>011954   |
| 804.045.10 | 1   | 80  | 4,5   | 47  | 3661589<br>054623   |
| 804.050.01 | 1   | 86  | 5   | 52  | 3661589<br>011961   |
| 804.050.10 | 1   | 86  | 5   | 52  | 3661589<br>054647   |
| 804.055.01 | 1   | 93  | 5,5   | 57  | 3661589<br>011978   |
| 804.060.01 | 1   | 93  | 6   | 57  | 3661589<br>011985   |
| 804.060.10 | 1   | 93  | 6   | 57  | 3661589<br>054630   |
| 804.065.01 | 1   | 101   | 6,5   | 63  | 3661589<br>011992   |
| 804.070.01 | 1   | 109   | 7   | 69  | 3661589<br>012005   |
| 804.075.01 | 1   | 109   | 7,5   | 69  | 3661589<br>012012   |



| REF        |  |  |  |  |  |
|------------|---|---|---|---|---|
| 804.080.01 | 1   | 117   | 8   | 75  | 3661589<br>012029   |
| 804.080.05 | 1   | 117   | 8   | 75  | 3661589<br>054678   |
| 804.085.01 | 1   | 117   | 8,5   | 75  | 3661589<br>012036   |
| 804.090.01 | 1   | 125   | 9   | 81  | 3661589<br>012043   |
| 804.095.01 | 1   | 125   | 9,5   | 81  | 3661589<br>012050   |
| 804.100.01 | 1   | 133   | 10  | 87  | 3661589<br>012067   |
| 804.100.05 | 1   | 133   | 10  | 87  | 3661589<br>054692   |
| 804.110.01 | 1   | 142   | 11  | 94  | 3661589<br>012081   |
| 804.120.01 | 1   | 151   | 12  | 101   | 3661589<br>012104   |
| 804.130.01 | 1   | 151   | 13  | 101   | 3661589<br>012128   |

