

## FRAISE-SCIE POUR MÉTAUX INOXYDABLES

- Dureté 63/64 hrc.
- Traitement vapeur.
- Fraises livrées avec trous d'entraînement standard.
- Respecter la vitesse maximale de 600 tr/min.



### CARACTERISTIQUES :

REF							
122CO5.254.2 532	1	250	32	2,5	4	200	3661589074843
122CO5.255.2 532	1	250	32	2,5	4	160	3661589074850
122CO5.274.2 532	1	275	32	2,5	4	220	3661589074867
122CO5.275.2 532	1	275	32	2,5	4	180	3661589074874
122CO5.276.2 532	1	275	32	2,5	4	140	3661589074881
122CO5.274.2 540	1	275	40	2,5	4	220	3661589074898
122CO5.275.2 540	1	275	40	2,5	4	180	3661589074904

BOIS MASSIF

PANNEAUX  
DÉRIVÉS BOIS

MÉTAL

CARRELAGE

BÉTON  
MAÇONNERIE







PIERRE  
TUILE

MULTI  
MATÉRIAUX

PLÂTRE ET  
MATÉRIAUX  
TENDRES

ASPHALTE

ACCESSOIRES

REF							
122CO5.276.2 540	1	275	40	2,5	4	140	3661589074911
122CO5.304.2 532	1	300	32	2,5	4	220	3661589074928
122CO5.305.2 532	1	300	32	2,5	4	180	3661589074935
122CO5.306.2 532	1	300	32	2,5	4	140	3661589074942
122CO5.314.2 532	1	315	32	2,5	4	240	3661589074959
122CO5.315.2 532	1	315	32	2,5	4	200	3661589074966
122CO5.316.2 532	1	315	32	2,5	4	160	3661589074973

BOIS MASSIF

PANNEAUX  
DÉRIVÉS BOIS

MÉTAL

CARRELAGE

BÉTON  
MAÇONNERIE

PIERRE TUILE

MULTI  
MATÉRIAUX

PLÂTRE ET  
MATÉRIAUX  
TENDRES

ASPHALTE

ACCESSOIRES