

ZAAGBLAD VOOR LINTZAAG, STAAL, OP ROL

- Getand, geschaafd, rechtop gezet, gespannen, gezet en geslepen.
- Verkocht per rol in een doos met haspels.
- Afstand aangeduid met TPI-vertanding per inch.
- Afstand in mm.
- Eenheidsprijs per meter.



MASSIEF HOUT



HOUT, BRANDHOUT



KENMERKEN:

REF				
129.06.504	50	6	0,5	3510781 290028
129.06.506	50	6	0,5	3510781 290035
129.10.406	50	10	0,4	3510781 290042
129.10.506	50	10	0,5	3510781 290066
129.10.508	50	10	0,5	3510781 290073
129.10.606	50	10	0,6	3510781 290080

MASSIEF HOUT	HOUTCOMPOSITIE T PLATEN	METAAL	TEGEL	BETON METSSELWERK	STEEN TEGEL	MULTI MATERIALEN	GIPS & ZACHTE MATERIALEN	ASFALT	ACCESSOIRES
--------------	----------------------------	--------	-------	----------------------	-------------	---------------------	-----------------------------	--------	-------------

REF				
129.10.608	50	10	0,6	3510781 290097
129.15.406	50	15	0,4	3510781 290127
129.15.506	50	15	0,5	3510781 290141
129.15.508	50	15	0,5	3510781 290158
129.15.606	50	15	0,6	3510781 290165
129.15.608	50	15	0,6	3510781 290172
129.15.708	50	15	0,7	3510781 290189
129.15.710	50	15	0,7	3510781 290196
129.20.406	50	20	0,4	3510781 290202
129.20.506	50	20	0,5	3510781 290226
129.20.508	50	20	0,5	3510781 290233
129.20.606	50	20	0,6	3510781 290240
129.20.608	50	20	0,6	3510781 290257

REF				
129.20.610	50	20	0,6	3510781 290264
129.20.708	50	20	0,7	3510781 290271
129.20.710	50	20	0,7	3510781 290288
129.25.506	50	25	0,5	3510781 290295
129.25.508	50	25	0,5	3510781 290301
129.25.510	50	25	0,5	3510781 290318
129.25.606	50	25	0,6	3510781 290325
129.25.608	50	25	0,6	3510781 290332
129.25.610	50	25	0,6	3510781 290349
129.25.708	50	25	0,7	3510781 290356
129.25.710	50	25	0,7	3510781 290363
129.30.608	50	30	0,6	3510781 290370
129.30.610	50	30	0,6	3510781 290387

REF				
129.30.708	50	30	0,7	3510781 290400
129.30.710	50	30	0,7	3510781 290417
129.30.712	50	30	0,7	3510781 290424
129.35.608	50	35	0,6	3510781 290431
129.35.610	50	35	0,6	3510781 290448
129.35.710	50	35	0,7	3510781 290462
129.35.712	50	35	0,7	3510781 290479
129.35.810	50	35	0,8	3510781 290486
129.40.710	50	40	0,7	3510781 290493
129.40.712	50	40	0,7	3510781 290509
129.40.810	50	40	0,8	3510781 290516
129.40.812	50	40	0,8	3510781 290523
129.45.810	50	45	0,8	3510781 290547

REF				
129.45.812	50	45	0,8	3510781 290554
129.50.812	50	50	0,8	3510781 290561
129.50.816	50	50	0,8	3510781 290585